Jennifer C. Sedlachek Project Manager

ExxonMobil Refining & Supply Company Global Remediation – US Retail 4096 Piedmont Avenue #194 Oakland, California 94611 510.547.8196 510.547.8706 Fax jennifer.c.sedlachek@exxonmobil.com

**EXONMobil**Refining & Supply

May 17, 2006

Mr. Ruben Robbins 4358 Highway 12 Santa Rosa, California 95409

RE: Former Exxon RAS #7-3035/4501 Sonoma Highway, Santa Rosa, California.

Dear Mr. Robbins:

Attached for your review and comment is a document entitled *Laboratory Analysis Results of Groundwater Sample Collected from Private Water Well*, dated May 17, 2006, for the above-referenced site. The document was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and provides the analytical laboratory results for the first quarter 2006 groundwater sample collected from the private water well located at 4358 Sonoma Highway, in Santa Rosa, California.

These data were generated by ERI on behalf of ExxonMobil to comply with requirements of the Regional Board in accordance with state regulations. ExxonMobil makes no representations as to these data for any other purpose.

Thank you for your continued cooperation in providing access to sample your well.

Water sample analytical results including analytical data sheets are provided quarterly to the office of the Regional Board. If you have any questions, please contact Ms. Jo Bentz of the Regional Board at 707.576.2838.

Sincerely.

Jennifer C. Sedlachek

Project Manager

Attachment:

Laboratory Analysis Results of Groundwater Sample Collected from Private Water Well,

dated May 17, 2006.

cc:

w/ attachment

Ms. Jo Bentz, California Regional Water Quality Control Board, North Coast Region

w/o attachment

Ms. Paula Sime, Environmental Resolutions, Inc.

May 17, 2006 ERI 200313,L80

Ms. Jennifer C. Sedlachek ExxonMobil Refining & Supply - Global Remediation 4096 Piedmont Avenue #194 Oakland, California 94611

SUBJECT

Laboratory Analysis Results of Groundwater Sample Collected from Private Water Wells Located at 4358 Highway 12, Santa Rosa, California

Ms. Sedlachek:

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) is providing the analytical laboratory results of the groundwater samples collected from the private water wells located at 4358 Highway 12, in Santa Rosa, California, on March 30, 2006. The samples were collected by ERI and analyzed by a California state-certified laboratory, under Chain-of-Custody protocol, for total petroleum hydrocarbons as gasoline, total petroleum hydrocarbons as diesel, and methanol using Environmental Protection Agency (EPA) Method 8015B, and benzene, toluene, ethylbenzene, and total xylenes, oxygenated compounds (including methyl tertiary butyl ether, ethyl tertiary butyl ether, tertiary amyl methyl ether, tertiary butyl alcohol, di-isopropyl ether, and ethanol), and lead scavengers (including 1,2-dibromoethane and 1,2-dichloroethane) using EPA Method 524.2. The laboratory analysis report for the private water well sample is attached. The laboratory results are summarized in Tables 1A and 1B.

Please contact Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions.

Sincerely.

**Environmental Resolutions** 

Paula Sime

FOR

Project Manager

Attachments:

Table 1A:

Private Water Well Sampling Data

Table 1B:

Additional Private Water Well Sampling Data

Laboratory Analysis Report

CC:

Mr. Ruben Robbins

Ms. Jo Bentz, California Regional Water Quality Control Board, North Coast Region

# TABLE 1A PRIVATE WATER WELL SAMPLING DATA

Former Exxon Service Station 7-3035 4501 Sonoma Highway Santa Rosa, California (Page 1 of 1)

Well ID	Sampling Date	TPHd (µg/L)	TPHg (µg/L)	B (µg/L)	Τ (μg/L)	E (µg/L)	Χ (μg/L)	MTBE (µg/L
				-0.50	10.50	<0.50	<1.00	<0.50
W4358	11/03/04	<50	<50.0	<0.50	<0.50			
W4358	06/07/05 a	-		-			-4.00	
W4358	09/08/05	<50.0	<50.0	<0.500	<0.500	<0.500	<1.00	<0.50
W4358	12/08/05 a	_		_	_	-		
W4358	03/30/06	<47	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	Primary CDHS MCL	b	b	b	b	Ь	ь	13
9	Secondary CDHS MCL	b	b	b	b	ь	b	5


Notes:		
CDHS MCL	=	California Department of Health Services Maximum Contaminant Level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 8015B.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method 524.2.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 524.2.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 524.2.
TAME	<b>=</b>	Tertiary amyl methyl ether analyzed using EPA Method 524.2.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 524.2.
EDB	=	1,2-dibromoethane analyzed using EPA Method 524.2.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 524.2.
Isopropyl Ether	=	Isopropyl ether analyzed using EPA Method 524.2.
Ethanol	=	Ethanol analyzed using EPA Method 524.2.
Methanol	=	Methanol analyzed using EPA Method 8015B.
Vietranoi	=	Less than the indicated reporting limit shown by the laboratory.
`	=	Not measured/Not sampled/Not analyzed.
	=	Well sampled semi-annually.
a	_	MCL values not applicable; analyte not detected in private wells.
b	-	MOC 101000 Hot approaches analyse the statement in pro-

# TABLE 1B ADDITIONAL PRIVATE WATER WELL SAMPLING DATA

Former Exxon Service Station 7-3035 4501 Sonoma Highway Santa Rosa, California (Page 1 of 1)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	Isopropyl Ether (μg/L)	Ethanol (µg/L)	Methano (μg/L)
<u> </u>			<u> </u>	<10.0	<0.50	<0.50	<0.50	<50.0	<10,000
W4358	11/03/04	<0.50	<0.50			~0.50 			- 10,000
W4358	06/07/05	<del></del>			-0.500		<0.500	<50.0	<10,000
W4358	09/08/05	<0.500	<0.500	<5.00	<0.500	<0.500			•
W4358	12/08/05 a		-						
W4358	03/30/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100	<100
Notes:				<del></del>		<u> </u>			<del></del>
TPHd	=	Total petroleum l	hydrocarbons as o	diesel analyzed us	sing EPA Method	1 8015B.			
TPHa	=	Total petroleum I	hydrocarbons as g	gasoline analyzed	using EPA Meth	10d 8015B.			

Notes:		
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 8015B.
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B.
MTBĚ	=	Methyl tertiary butyl ether analyzed using EPA Method 524.2.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 524.2.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 524.2.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 524.2.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 524.2.
EDB	=	1,2-dibromoethane analyzed using EPA Method 524.2.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 524.2.
Isopropyl Ether	=	Isopropyl ether analyzed using EPA Method 524.2.
Ethanol	=	Ethanol analyzed using EPA Method 524.2.
Methanol	=	Methanol analyzed using EPA Method 8015B.
μg/L	=	Micrograms per liter.
` <	=	Less than the indicated reporting limit shown by the laboratory.
	=	Not measured/Not sampled/Not analyzed.
а	=	Well sampled semi-annually.
b	=	MCL values not applicable; analyte not detected in private wells.



21 April, 2006

Paula Sime Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma, CA 94954

RE: Exxon 7-3035 Work Order: MPC1115

Enclosed are the results of analyses for samples received by the laboratory on 04/03/06 19:10. The samples arrived at a temperature of 4° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Christina Dell Project Manager

CA ELAP Certificate #1210





601 North McDowell Blvd.

Petaluma CA, 94954

Project: Exxon 7-3035

Project Number: 7-3035

Project Manager: Paula Sime

MPC1115
Reported:

04/21/06 15:09

#### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
W4358	MPC1115-01	Water	03/30/06 09:50	04/03/06 19:10





601 North McDowell Blvd. Petaluma CA, 94954 Project: Exxon 7-3035

Project Number: 7-3035
Project Manager: Paula Sime

MPC1115 Reported: 04/21/06 15:09

W4358 (MPC1115-01) Water Sampled: 03/30/06 09:50 Received: 04/03/06 19:10

#### Purgeable Hydrocarbons by EPA 8015B

Sequoia Analytical - Morgan Hill

		·	<u> </u>						
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6D12003	04/12/06	04/12/06	EPA 8015B-VOA	1
Surrogate: 4-Bromofluorobenzene		95%	75.	.125	н		at .	n	

# Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Diesel Range Organics (C10-C28)	ND	47	ug/l	1	6D05001	04/05/06	04/07/06	EPA 8015B-SVOA	
Surrogate: n-Octacosane		82 %	30-	-115	n .	и	Ħ	н	

#### Purgeable Organic Compounds by EPA Method 524.2

Sequoia Analytical - Morgan Hill

1								
Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
ND	100	ug/l	1	6D13027	04/13/06	04/13/06	EPA 524.2	
ND	20	ec	u	II	11	п	н	
ND	0.50		11	11	u	n	u	
ND	0.50	tt	ír	U	11	u	n	
ND.	0.50	п	ш	11	u	н	п	
ND	0.50	n	u	u	11	11	11	
ND	0.50	п	н	**	n	M	п	
ND	0.50	11	t <del>t</del>	ц	11	ц	11	
ND	0.50	n	ij	11	п	t <sub>1</sub>	u	
ND	0.50	17	ır	ш	11	11	78	
ND	0.50	u.	п	n	II .	ti	п	
ND	0.50	u	a	u	"	11	α	
	106 %	70	-130	"	"	"	· ·	
	94 %	70	-130	"	u	и	u	
	100 %	70	-130	u	"	u	u	
	Result ND	Result Limit  ND 100  ND 20  ND 0.50  ND 0.50	Result   Limit   Units	Result   Limit   Units   Dilution	Reporting   Limit   Units   Dilution   Batch	ND   100   ug/l   1   6D13027   04/13/06     ND   20   "   "   "   "     ND   0.50   "   "   "   "   "   "     ND   0.50   "   "   "   "   "   "     ND   0.50   "   "   "   "   "   "   "     ND   0.50   "   "   "   "   "   "   "     ND   0.50   "   "   "   "   "   "   "   "     ND   0.50   "   "   "   "   "   "   "   "   "	Result   Limit   Units   Dilution   Batch   Prepared   Analyzed	Result   Limit   Units   Dilution   Batch   Prepared   Analyzed   Method





601 North McDowell Blvd. Petaluma CA, 94954 Project: Exxon 7-3035

Project Number: 7-3035 Project Manager: Paula Sime MPC1115 Reported: 04/21/06 15:09

W4358 (MPC1115-01) Water

Sampled: 03/30/06 09:50 Received: 04/03/06 19:10

### **Industrial Solvents by EPA Method 8015B**

Sequoia Analytical - Morgan Hill

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Methanol	ND	100	ug/l	1	6D04014	04/04/06	04/04/06	EPA 8015B	
Surrogate: 1-pentanol		98 %	70-	125	и	rr	tt	u	



Environmental Resolutions (Exxon) 601 North McDowell Blvd.

Petaluma CA, 94954

Project: Exxon 7-3035

Project Number: 7-3035 Project Manager: Paula Sime MPC1115 Reported: 04/21/06 15:09

## Purgeable Hydrocarbons by EPA 8015B - Quality Control Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6D12003 - EPA 5030B [P/T]									<u></u>	
Blank (6D12003-BLK1)				Prepared	& Analyze	ed: 04/12/	06			
Gasoline Range Organics (C4-C12)	ND	25	u <b>g/i</b>	<del></del>						
Surrogate: 4-Bromofluorobenzene	74.1		"	80.0		93	75-125	·		
LCS (6D12003-BS1)				Prepared	& Analyze	ed: 04/12/	06			
Gasoline Range Organics (C4-C12)	173	50	ug/l	<b>2</b> 75	<del></del>	63	60-115	<del></del>		
Surrogate: 4-Bromofluorobenzene	77.0		n	80.0		96	75-125			
Matrix Spike (6D12003-MS1)	Sou	urce: MPC11	17-04	Prepared	& Analyz	ed: 04/12/	06			
Gasoline Range Organics (C4-C12)	156	50	ug/l	275	ND	57	60-115			QM02
Surrogate: 4-Bromofluorobenzene	76.4		"	80.0		96	75-125	<del></del>		
Matrix Spike Dup (6D12003-MSD1)	Son	urce: MPC11	17-04	Prepared	& Analyz	ed: 04/12/	'06			
Gasoline Range Organics (C4-C12)	153	50	ug/l	275	ND	56	60-115	2	20	QM0
Surrogate: 4-Bromofluorobenzene	76.0		п	80.0		95	75-125			





601 North McDowell Blvd. Petaluma CA, 94954 Project: Exxon 7-3035

Project Number: 7-3035
Project Manager: Paula Sime

MPC1115 Reported: 04/21/06 15:09

# Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B - Quality Control Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC	RPD	RPD Limit	Notes
Batch 6D05001 - EPA 3510C										110103
Blank (6D05001-BLK1)		<u> </u>		Prepared:	04/05/06	Analyzed	l: 04/07/06			
Diesel Range Organics (C10-C28)	ND	25	ug/l							
Surrogate: n-Octacosane	37.2		п	50.0		74	30-115		<u> </u>	<u> </u>
LCS (6D05001-BS1)				Prepared:	04/05/06	Analyzed	i: 04/07/06			
Diesel Range Organics (C10-C28)	359	50	ug/l	500	·	72	40-140			
Surrogate: n-Octacosane	40.1		"	50.0		80	30-115	··· · · · · · · · · · · · · · · · · ·		
LCS Dup (6D05001-BSD1)				Prepared	04/05/06	Analyzed	d: 04/07/06			
Diesel Range Organics (C10-C28)	393	50	ug/l	500		79	40-140	9	35	
Surrogate: n-Octacosane	40.5		н	50.0	<del></del>	81	30-115		-	



Environmental Resolutions (Exxon) 601 North McDowell Blvd.

Petaluma CA, 94954

Project: Exxon 7-3035

Project Number: 7-3035 Project Manager: Paula Sime MPC1115 Reported: 04/21/06 15:09

# Purgeable Organic Compounds by EPA Method 524.2 - Quality Control Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6D13027 - EPA 5030B P/T		<del></del>				<del></del>				110103
Blank (6D13027-BLK1)		·		Prepared	& Analyze	d: 04/13/	06			
Ethanol	ND	52	ug/l		<u>~~ 1 11.01.7 20</u>	. U-1/15/	<del></del>	· · · · · · · · · · · · · · · · · · ·		
tert-Butyl alcohol	ND	11	u							
Methyl tert-butyl ether	ND	0.25	11							
Di-isopropyl ether	ND	0.25	u							
Ethyl tert-butyl ether	ND	0.25	"							
tert-Amyl methyl ether	ND	0.25	u							
1,2-Dichloroethane	ND	0.25	n							
1,2-Dibromoethane (EDB)	ND	0.25	ш							
Benzene	ND	0.25	ш							
Toluene	ND	0.25	•							
Ethylbenzene	ND	0.25	ıı .							
Xylenes (total)	ND	0.36	19							
Surrogate: Dibromofluoromethane	2.57		и	2.50		103	70-130			
Surrogate: 4-Bromofluorobenzene	2.39		"	2.50		96	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	2.04		#	2.00		102	70-130			
LCS (6D13027-BS1) Ethanol	178	100			& Analyz					
	178	100	ug/l	165		108	70-130			
tert-Butyl alcohol		20	If	169		105	70-130			
Methyl tert-butyl ether	7.74	0.50	II	7.84		99	70-130			
Di-isopropyl ether	16.3	0.50	IT	16.2		101	70-130			
Ethyl tert-butyl ether	16.3	0.50	11	16.4		99	70-130			
tert-Amyl methyl ether	16.3	0.50	11	16.3		100	70-130			
1,2-Dichloroethane	16.2	0.50	u	15.5		105	70-130			
1,2-Dibromoethane (EDB)	16.7	0.50	tr	16.6		101	70-130			
Benzene	5.19	0.50	II	5.04		103	70-130			
Toluene	34.0	0.50	ri	38.0		89	70-130			
Ethylbenzene	6.94	0.50	п	7.28		95	70-130			
Xylenes (total)	38.7	0.50	и	40.8		95	70-130			
Surrogate: Dibromofluoromethane	2.61	<del></del>	"	2.50	<del></del>	104	70-130	·		

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.




601 North McDowell Blvd. Petaluma CA, 94954 Project: Exxon 7-3035

Project Number: 7-3035
Project Manager: Paula Sime

MPC1115 Reported: 04/21/06 15:09

# Purgeable Organic Compounds by EPA Method 524.2 - Quality Control Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6D13027 - EPA 5030B P/T										
LCS (6D13027-BS1)				Prepared	& Analyz	ed: 04/13/	06			_
Surrogate: 4-Bromofluorobenzene Surrogate: 1,2-Dichlorobenzene-d4	2.41 1.99		ug/l "	2.50 2.00		96 100	70-130 70-130	<del></del>	· ·	
LCS Dup (6D13027-BSD1)				Prepared	& Analyz					
Ethanol	229	100	ug/l	165		139	70-130	25	20	QC04, QC20
tert-Butyl alcohol	192	20	11	169		114	70-130	8	20	
Methyl tert-butyl other	8.02	0.50	11	7.84		102	70-130	4	20	
Di-isopropyl ether	16.8	0.50	11	16.2		104	70-130	3	20	
Ethyl tert-butyl ether	16.9	0.50	u	16,4		103	70-130	4	20	
tert-Amyl methyl ether	16.9	0.50	11	16.3		104	70-130	4	20	
1,2-Dichloroethane	16.7	0.50	ш	15.5		108	70-130	3	20	
1,2-Dibromoethane (EDB)	17.0	0.50	11	16.6		102	70-130	2	20	
Benzene	5.32	0.50	и	5.04		106	70-130	2	20	
Toluene	35.5	0.50	11	38.0		93	70-130	4	20	
Ethylbenzene	7.44	0.50	ш	7.28		102	70-130	7	20	
Xylenes (total)	40.7	0.50	"	40.8		100	70-130	5	20	
Surrogate: Dibromofluoromethane	2.66		"	2.50		106	70-130	<del></del>	<del></del>	
Surrogate: 4-Bromofluorobenzene	2.53		"	2.50		101	70-130			
Surrogate: 1,2-Dichlorobenzene-d4	2.02		"	2.00		101	70-130			





601 North McDowell Blvd. Petaluma CA, 94954 Project: Exxon 7-3035

Project Number: 7-3035 Project Manager: Paula Sime MPC1115 Reported: 04/21/06 15:09

## Industrial Solvents by EPA Method 8015B - Quality Control Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6D04014 - EPA 3810 Headspace										
Blank (6D04014-BLK1)			_	Prepared	& Analyz	ed: 04/04/	06			
Methanol	ND	71	ug/l	· <del>-</del>	<del></del>					
Surrogate: 1-pentanol	2670		u	2500	<del></del> -	107	70-125			
LCS (6D04014-BS1)				Prepared	& Analyz	ed: 04/04/	06			
Methanol	1040	100	ug/l	1000		104	75-125			
Surrogate: I-pentanol	2790		"	2500		112	70-125			
Matrix Spike (6D04014-MS1)	So	urce: MPC11	15-01	Prepared	& Analvz	ed: 04/04/	06			
Methanol	1050	100	ug/l	1000	ND	105	75-125			
Surrogate: 1-pentanol	2540		ır	2500		102	70-125	····		
Matrix Spike Dup (6D04014-MSD1)	So	urce: MPC11	15-01	Prepared	& Analyz	ed: 04/04/	06			
Methanol	1050	100	ug/l	1000	ND	105	75-125	0	20	
Surrogate: 1-pentanol	2830			2500		113	70-125			





Environmental Resolutions (Exxon) 601 North McDowell Blvd.

Petaluma CA, 94954

Project: Exxon 7-3035

Project Number: 7-3035 Project Manager: Paula Sime MPC1115 Reported: 04/21/06 15:09

#### **Notes and Definitions**

QM02 The spike recovery was below control limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

QC20 The RPD was outside control limits.

QC04 The recovery was above the control limit by 9%.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

					<del></del>											_				
Test/America	Consultant Name: Environmental Resolutions, Inc.  Address: 601 North McDowell Blvd.							ExxonMobil Engineer Jennifer Sedlachek								<del>,-</del>				
I COUR MILICE TOU	<b>L</b> 0	Telephone Number (510) 547-8198																		
408-776-9600		Account #: 3876																		
Morgan Hill Division	F	PO #:																		
885 Jarvis Drive	Telephone Number: (707) 766-2000							Facility ID # 7-3035												
Morgan Hill, CA 95037	E	Global ID# T0609700784																		
ExonMobil.	Sampler Name: (Print) A. Markan Sampler Signature: A.							Site Address 4501 Sonoma Highway City, State Zip Santa Rosa, California, 95409												
Shipping Method: Lab Courle			ercial Express	Othe	er:															
	PROVIDE:	Special instr						Matrix				Analyze For:								
24 hour	EDF Report	7 CA Oxys ≍ gel cleanup fo		Use silica				5	5	15M		4								
☐ 48 hour ☐ 96 hour								8015M	TPHg 8015M	Methanol 8015M	BTEX 524.1	7 CA Oxys 524.1	Ethanol 524.1							
☑ 8 day		ļ		MPC	11/2		Nilisanen	<u> </u>	_	<b>F</b>	p.	p	han	×	ő	25				
Sample ID / Descript	ion	DATE	TIME	COMP	GRAB	PRESERV VOA/liter	NUMBER VOA/liter	Water	Soil	Vарог	ТРНа	直	ĕ	BIE	Š	뚧				1 1
W4358	-01	2/30/06	950			HCL/none	8/2	Х			Х		х	Х	Х	х				
,, , , , , , , , , , , , , , , , , , ,		7																		
	· · · · · · · · · · · · · · · · · · ·	<del> </del>										_	-		-					$\vdash$
			<b>.</b>	ļ																<b> </b>
			<del> </del>																	
							<del></del>				$\dashv$							<del>  </del>	$\dashv$	<del> -</del>
	<del></del>	 	ļ	<u> </u>					,	$\dashv$		$\dashv$						<del>  </del>	$\dashv$	$\longrightarrow$
			ļ																	
					ľ				1				ĺ		[			ļ.		
,									7	$\neg$	$\neg$								$\neg$	$\overline{}$
			<del> </del>							-		-	$\dashv$			$\dashv$		$\dashv$	$\dashv$	-
Relinquished by:	Date 3/3	Date 3/30/06 Time Received by: 3.F.						Time Laboratory C						Comments:						
Relinquished by:	Date		Time	· · · · · · · · · · · · · · · · · · ·	Received by	/TestAmerica:	Stil H	um	un T	ime 3	131	les v	:	Samp	le Co	ntaln	ers In	tact?	40	
Cal Hrum	dan 4	13/04		44			- 4	1/3	10	<u>ر</u>	13	330						-	1	

### SEQUOIA ANALYTICAL SAMPLE RECEIPT LOC

CLIENT NAME: Emigrimen	ntin [	Resolution	2 Tue	DATE REC'D AT LAB:	4.3.0	<u>6</u>		•	•-	tory Purposes?
REC. BY (PRINT)A-L		160561461144		TIME REC'D AT LAB:	. 1910				WATER YES/NO	
			•	DATE LOGGED IN:		106			WASTE WA	ATER YES/NO
WORKORDER: MPCII	1 2	<u></u>				<del></del>		•	•	
· · · · · · · · · · · · · · · · · · ·	IOE :	LAB	DASH		CONTAINER	PRESERV		SAMPLE	DATE	REMARKS:
CIRCLE THE APPROPRIATE RESPON	26	SAMPLE#	#	CLIENT ID	DESCRIPTION	ATIVE	рН	MATRIX	SAMPLED	CONDITION (ETC.)
1. Custody Seal(s) Present / Abser		C					<u> </u>			
Intact / Broken*					<u> </u>			<b> </b> -		
2. Chain-of-Custody. Present / Abser	nt*									
3. Traffic Reports or		 		·	<del></del>		<del> </del>		· · ·	
Packing List: Present / Abser	<u> </u>	<u></u>			<del> </del>	<u> </u>	<u> </u>			
4. Airbili: Airbili / Sticker					<u> </u>	<del></del>		<del> </del>	/	
Present Abser	<u>1t )</u>		<del></del>			<del> </del>	<del></del>	· / ·		
5. Airbill #:		ļ <u>.</u>		<u> </u>		<del> </del>		<del></del>		<del></del>
6. Sample Labels: Present/ Abser				:			/-	<del> </del>		
7. Sample IDs: Listed Not List		·		·				<del> </del>		
on Chain-of-Cus				·			<del>`</del>			
8. Sample Condition: Intact Broken*	1						<u>·</u>	<del>                                     </del>		
Leaking*				· · · · · · · · · · · · · · · · · · ·	. 69	· · · · · ·		<del> </del>	<u> </u>	
9. Does information on chain-of-custody	<i>r</i> ,				2	<u> </u>		<del> </del>		
traffic reports and sample labels				*A-	· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del></del>	<del>-</del>		
agree? Yes / No	<u>, *</u>				<u> </u>	·				
10. Sample received within				· · · · · · · · · · · · · · · · · · ·			<del></del>	<del> </del>	<u> </u>	
hold time? (es) No	<u>*</u>			5/1/	<del> </del>	<b></b>		<del>                                     </del>		
11. Adequate sample volume		<u>·</u>		2,40		, ,			<u></u>	·
received? (Yes)/ No							<del></del>	<del>                                     </del>	<u> </u>	
12. Proper preservatives used? Yes/ No	<u>,</u>				· · · · · ·			<del> </del>		
13. Trip Blank / Temp Blank Received?				/		ļ. ———				·
Voc No	)*					<del> </del>		ļ <u> </u>	<u> </u>	
14 Read Temp: 4.00	1	1.			· · ·		<u>·</u>	<u> </u>		
Corrected Temp:					<del>,</del>	-	<del></del>	<del> </del>		
Is corrected temp 4 +/-2°C? Yes/No	)**			:	·	<del> </del>		<del> </del>		
(Acceptance range for samples requiring thermal pres.)	į				<u> </u>	<del> </del>		<del> </del>		
**Exception (if any): METALS / DFF ON IC	E	}	ļ	<u> </u>				<u> </u>		·····
or Problem COC	november	Market State of the State of th			ANACER AND		(CAMP LAND			

SRL Revision 7 Replaces Rev 5 (07/13/04) Page \_\_\_\_\_\_of \_\_\_\_